# VERTE-STACK® Spinal System 510(k) Summary July 2006

I. Company:

Medtronic Spinal and Biologics Division

1800 Pyramid Place Memphis, TN 38132 (901) 396-3133

SEP 2 6 2006

Contact:

Lee Grant

Supervisor, Regulatory Affairs

II. Proprietary Trade Name: VERTE-STACK® Spinal System

III. Classification Name/Product Code: Spinal Intervertebral Body Fixation Orthosis (21 CFR 888.3060)

IV. Product Code: MQP

## V. Product Description

The VERTE-STACK® device is a stackable spacer, which inserts between vertebral bodies in the anterior thoracic and lumbar spine. The device is intended for vertebral body replacement to aid in the surgical correction and stabilization of the spine. The construct is not intended to be employed as a stand-alone device. The VERTE-STACK® device is fabricated and manufactured from POLYETHERETHERKETONE (PEEK OPTIMA LT1) along with either titanium or tantalum markers. Alternatively the entire device may be manufactured from titanium alloy.

The design of the VERTE-STACK® device includes a variety of stackable components of different sizes and heights. The stackable components are designed to suit the individual patient pathology.

The VERTE-STACK® device may be used individually, or two or more may be stacked together in order to accommodate the individual anatomical requirements of the vertebral space created by the corpectomy.

The VERTE-STACK® Spinal System must be used with additional anterior and/or posterior spinal instrumentation to augment stability. VERTE-STACK® constructs manufactured with PEEK may be used with stainless steel or titanium supplemental fixation devices. Titanium VERTE-STACK® constructs may not be used with stainless steel supplemental fixation devices.

16062133 Page 20+2

The purpose of this submission is to include slightly modified components to the previously cleared VERTE-STACK® Spinal System.

## VI. Indications

The VERTE-STACK® Spinal System is a vertebral body replacement device intended for use in the thoracolumbar spine (T1-L5) to replace a collapsed, damaged, or unstable vertebral body due to tumor or trauma (i.e., fracture). The VERTE-STACK® Spinal System is to be used with supplemental fixation. Specifically, the VERTE-STACK® device is to be used with the Medtronic Sofamor Danek ZPLATE II Anterior Fixation System, the DYNALOK™ CLASSIC Spinal System, the VANTAGE™ Anterior Fixation System, the TSRH® Spinal System, the CD HORIZON® Spinal System, the GDLH® Spinal System and/or their successors. Additionally, the VERTE-STACK® device is intended to be used with bone graft.

## VII. Substantial Equivalence

Documentation was provided which demonstrated that the subject VERTE-STACK® Spinal System components are substantially equivalent to components previously cleared in VERTE-STACK® Spinal System 510(k) applications K060719 (SE 04/14/06) and K041556, (SE 07/01/04).





Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

SEP 26 2006

Medtronic Sofamor Danek % Mr. Lee Grant Supervisor Regulatory Affairs 1800 Pyramid Place Memphis, Tennessee 38132

Re: K062133

Trade/Device Name: VERTE-STACK® Spinal System

Regulation Number: 21 CFR 888.3060

Regulation Name: Spinal intervertebral body fixation orthosis

Regulatory Class: Class II Product Code: MQP Dated: August 29, 2006 Received: August 30, 2006

Dear Mr. Grant:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

## Page 2 – Mr. Lee Grant

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <a href="http://www.fda.gov/cdrh/industry/support/index.html">http://www.fda.gov/cdrh/industry/support/index.html</a>.

Sincerely yours,

Mark N. Melkerson

Director

Division of General, Restorative and Neurological Devices Office of Device Evaluation Center for Devices and Radiological Health

Enclosure

510(k) Number (if known): <u>K062133</u>	
Device Name: VERTE-STACK® Spinal System	
Indications for Use:	
The VERTE-STACK® Spinal System is a vertebral body replacement device intended for use in the	
thoracolumbar spine (T1-L5) to replace a collapsed, damaged, or unstable vertebral body due to tumo	or or
trauma (i.e., fracture). The VERTE-STACK® Spinal System is to be used with supplemental fixation	ı <b>.</b>
Specifically, the VERTE-STACK® device is to be used with the Medtronic Sofamor Danek ZPLATI	ΕII
Anterior Fixation System, DYNALOK™ CLASSIC Spinal System, the VANTAGE™ Anterior Fixat	ion
System, TSRH® Spinal System, CD HORIZON® Spinal System, the GDLH® Spinal System, or the	ir
successors. Additionally, the VERTE-STACK® device is intended to be used with bone graft.	
Prescription Use X AND/OR Over-The-Counter Use	
(Part 21 CFR 801 Subpart D) (21 CFR 807 Subpart C)	
(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NE	EDED]
Concurrence of CDRH, Office of Device Evaluation (ODE)	

Division Sign-Off)

Division of General, Restore and Neurological Devices

510(k) Number 1 33